Journal of Biomedical Materials Research
Author Index—Volume 69A

Adams, A. K. See Pathak, C. P., 140
Adeniji, S. See Oki, A., 216
Agheli, H. See Dalby, M. J., 314
Agung, M. See Ito, Y., 454
Alajbegovic, S. See Willie, B. M., 477
Al-Hiyasai, A. S. See Darmani, H., 637
Ali, S. A. M. See Eglin, D., 718
Allison, F. J. See McKinlay, K. J., 359
Amano, K. See Ito, S., 11
Anderson, J. M. See Blanco, E., 398
Anderson, J. M. See Christenson, E. M., 407
Anderson, J. M. See Collier, T. O., 644
Anderson, J. M. See Zhou, Y., 611
Anderson, P. See Washburn, N. R., 738
Anseau, M. See Sarmento, C., 351
Asaoka, K. See Yokoyama, K., 105
Ashrafi, S. See Willie, B. M., 477
Au, A.
—;Polotsky, A.; Krzyminski, K.; Gutowska, A.; Hungerford, D. S.; Frondoza, C. G.: Evaluation of thermoreversible polymers containing fibroblast growth factor 9 (FGF-9) for chondrocyte culture, 367

Bachus, K. N. See Willie, B. M., 567
Bailey, L. O.
—;Washburn, N. R.; Simon, C. G., Jr.; Chan, E. S.; Wang, F. W.: Quantification of inflammatory cellular responses using real-time polymerase chain reaction, 305
Balooch, G. See Schulze, K. A., 286
Balooch, M. See Schulze, K. A., 286
Barber, T. See Collier, T. O., 644
Baslé, M. F. See Stancu, I. C., 584
Bassel-Duby, R. See Cronin, E. M., 373
Bathelat, F. See Thelen, S., 601
Baugh, L.
—;Vogel, V.: Structural changes of fibronectin adsorbed to model surfaces probed by fluorescence resonance energy transfer, 525
Berger, G. See Knabe, C., 145
Best, S. M. See Porter, A. E., 670
Bilbao, R.
—;Reay, D. P.; Koppanati, B. M.; Clemens, P. R.: Biocompatibility of adenoviral vectors in poly(vinyl chloride) tubing catheters with presence or absence of plasticizer di-2-ethylhexyl phthalate, 91
Bireley, W. R. See Willie, B. M., 567
Blanco, E.
—;Qian, F.; Weinberg, B.; Stowe, N.; Anderson, J. M.; Gao, J.: Effect of fibrous capsule formation on doxorubicin distribution in radiofrequency ablated rat livers, 398
Bloebaum, R. D. See Willie, B. M., 477, 567
Boerboom, L. E. See Hilbert, S. L., 197
Bonfield, W. See Porter, A. E., 670
Botchwey, E. A.
—;Pollack, S. R.; Levine, E. M.; Johnston, E. D.; Laurencin, C. T.: Quantitative analysis of three-dimensional fluid flow in rotating bioreactors for tissue engineering, 205
Botelho, C. M. See Porter, A. E., 670
Brant-Zawadzki, H. See Hinds, M. T., 55
Braud, C. See Huang, M.-H., 417
Brinson, L. C. See Thelen, S., 601
Brodbeck, W. G. See Collier, T. O., 644
Brown, L. See Sarmento, C., 351
Brown, P. D. See McKinlay, K. J., 359
Bryers, J. D. See Wagner, V. E., 79
Bumgardner, J. D. See Walboomers, X. F., 131
Burke, A. See Hinds, M. T., 55
Burnett, T. See Willie, B. M., 477

Cai, J.
—;Peng, X.; Nelson, K. D.; Eberhart, R.; Smith, G. M.: Synergistic improvements in cell and axonal migration across sciatic nerve lesion gaps using bioresorbable filaments and heregulin-β1, 247
Cartmell, S.
—;Huynh, K.; Lin, A.; Nagaraja, S.; Guldberg, R.: Quantitative microcomputed tomography analysis of mineralization within three-dimensional scaffolds *in vitro*, 97
Caruso, A. B.
—;Dunn, M. G.: Functional evaluation of collagen fiber scaffolds for ACL reconstruction: Cyclic loading in proteolytic enzyme solutions, 164
Chan, E. S. See Bailey, L. O., 305
Chang, Y.
—;Liang, H.-C.; Wei, H.-J.; chu, C.-P.; Sung, H.-W.: Tissue regeneration patterns in acellular bovine pericardia implanted in a canine model as a vascular patch, 323
Chappard, D. See Stancu, I. C., 584
Chen, Y.-S. See Yao, C.-H., 709
Choi, K. See Lee, B.-H., 279
Choi, S.-H. See Lee, Y.-K., 188
Christenson, E. M.
—;Dadsetan, M.; Wiggins, M.; Anderson, J. M.; Hiltner, A.: Poly(carbonate urethane) and poly(ether urethane) biodegradation: *In vivo* studies, 407
Christian, P. See Gough, J. E., 17
Christpherson, G. T. See Yeni, Y. N., 124
Chu, C.-P. See Chang, Y., 323
Cima, M. J. See Richards Grayson, A. C., 502
Cincu, C. See Stancu, I. C., 584
Clemens, P. R. See Bilbao, R., 91
Clupper, D. C. See Gough, J. E., 621
Collier, T. O.
—;Anderson, J. M.; Brodbeck, W. G.; Barber, T.; Healy, K. E.: Inhibition of macrophage development and foreign body giant cell formation by hydrophilic interpenetrating polymer network, 644
Courtman, D. W. See Hinds, M. T., 55

Journal of Biomedical Materials Research
Author Index—Volume 69A

Adams, A. K. See Pathak, C. P., 140
Adeniji, S. See Oki, A., 216
Agheli, H. See Dalby, M. J., 314
Agung, M. See Ito, Y., 454
Alajbegovic, S. See Willie, B. M., 477
Al-Hiyasai, A. S. See Darmani, H., 637
Ali, S. A. M. See Eglin, D., 718
Allison, F. J. See McKinlay, K. J., 359
Amano, K. See Ito, S., 11
Anderson, J. M. See Blanco, E., 398
Anderson, J. M. See Christenson, E. M., 407
Anderson, J. M. See Collier, T. O., 644
Anderson, J. M. See Zhou, Y., 611
Anderson, P. See Washburn, N. R., 738
Anseau, M. See Sarmento, C., 351
Asaoka, K. See Yokoyama, K., 105
Ashrafi, S. See Willie, B. M., 477
Au, A.
—;Polotsky, A.; Krzyminski, K.; Gutowska, A.; Hungerford, D. S.; Frondoza, C. G.: Evaluation of thermoreversible polymers containing fibroblast growth factor 9 (FGF-9) for chondrocyte culture, 367

Bachus, K. N. See Willie, B. M., 567
Bailey, L. O.
—;Washburn, N. R.; Simon, C. G., Jr.; Chan, E. S.; Wang, F. W.: Quantification of inflammatory cellular responses using real-time polymerase chain reaction, 305
Balooch, G. See Schulze, K. A., 286
Balooch, M. See Schulze, K. A., 286
Barber, T. See Collier, T. O., 644
Baslé, M. F. See Stancu, I. C., 584
Bassel-Duby, R. See Cronin, E. M., 373
Bathelat, F. See Thelen, S., 601
Baugh, L.
—;Vogel, V.: Structural changes of fibronectin adsorbed to model surfaces probed by fluorescence resonance energy transfer, 525
Berger, G. See Knabe, C., 145
Best, S. M. See Porter, A. E., 670
Bilbao, R.
—;Reay, D. P.; Koppanati, B. M.; Clemens, P. R.: Biocompatibility of adenoviral vectors in poly(vinyl chloride) tubing catheters with presence or absence of plasticizer di-2-ethylhexyl phthalate, 91
Bireley, W. R. See Willie, B. M., 567
Blanco, E.
—;Qian, F.; Weinberg, B.; Stowe, N.; Anderson, J. M.; Gao, J.: Effect of fibrous capsule formation on doxorubicin distribution in radiofrequency ablated rat livers, 398
Bloebaum, R. D. See Willie, B. M., 477, 567
Boerboom, L. E. See Hilbert, S. L., 197
Bonfield, W. See Porter, A. E., 670
Botchwey, E. A.
—;Pollack, S. R.; Levine, E. M.; Johnston, E. D.; Laurencin, C. T.: Quantitative analysis of three-dimensional fluid flow in rotating bioreactors for tissue engineering, 205
Botelho, C. M. See Porter, A. E., 670
Brant-Zawadzki, H. See Hinds, M. T., 55
Braud, C. See Huang, M.-H., 417
Brinson, L. C. See Thelen, S., 601
Brodbeck, W. G. See Collier, T. O., 644
Brown, L. See Sarmento, C., 351
Brown, P. D. See McKinlay, K. J., 359
Bryers, J. D. See Wagner, V. E., 79
Bumgardner, J. D. See Walboomers, X. F., 131
Burke, A. See Hinds, M. T., 55
Burnett, T. See Willie, B. M., 477

Cai, J.
—;Peng, X.; Nelson, K. D.; Eberhart, R.; Smith, G. M.: Synergistic improvements in cell and axonal migration across sciatic nerve lesion gaps using bioresorbable filaments and heregulin-β1, 247
Cartmell, S.
—;Huynh, K.; Lin, A.; Nagaraja, S.; Guldberg, R.: Quantitative microcomputed tomography analysis of mineralization within three-dimensional scaffolds *in vitro*, 97
Caruso, A. B.
—;Dunn, M. G.: Functional evaluation of collagen fiber scaffolds for ACL reconstruction: Cyclic loading in proteolytic enzyme solutions, 164
Chan, E. S. See Bailey, L. O., 305
Chang, Y.
—;Liang, H.-C.; Wei, H.-J.; chu, C.-P.; Sung, H.-W.: Tissue regeneration patterns in acellular bovine pericardia implanted in a canine model as a vascular patch, 323
Chappard, D. See Stancu, I. C., 584
Chen, Y.-S. See Yao, C.-H., 709
Choi, K. See Lee, B.-H., 279
Choi, S.-H. See Lee, Y.-K., 188
Christenson, E. M.
—;Dadsetan, M.; Wiggins, M.; Anderson, J. M.; Hiltner, A.: Poly(carbonate urethane) and poly(ether urethane) biodegradation: *In vivo* studies, 407
Christian, P. See Gough, J. E., 17
Christpherson, G. T. See Yeni, Y. N., 124
Chu, C.-P. See Chang, Y., 323
Cima, M. J. See Richards Grayson, A. C., 502
Cincu, C. See Stancu, I. C., 584
Clemens, P. R. See Bilbao, R., 91
Clupper, D. C. See Gough, J. E., 621
Collier, T. O.
—;Anderson, J. M.; Brodbeck, W. G.; Barber, T.; Healy, K. E.: Inhibition of macrophage development and foreign body giant cell formation by hydrophilic interpenetrating polymer network, 644
Courtman, D. W. See Hinds, M. T., 55

Craig, R. G.
—;Kallur, S. P.; Inoue, M.; Rosenberg, P. A.; LeGeros, R. Z.: Effect of enamel matrix proteins on the periodontal connective tissue–material interface after wound healing, 180
Craig, R. G. See Inoue, M., 172
Crisco, J. J., III See Moore, D. C., 259
Cronin, E. M.
—;Thurmond, F. A.; Bassel-Duby, R.; Williams, R. S.; Wright, W. E.; Nelson, K. D.; Garner, H. R.: Protein-coated poly(L-lactic acid) fibers provide a substrate for differentiation of human skeletal muscle cells, 373
Curtis, A. S. G. See Dalby, M. J., 314

Dadsetan, M. See Christenson, E. M., 407
Dalby, M. J.
—;Riehle, M. O.; Sutherlannd, D. S.; Agheli, H.; Curtis, A. S. G.: Fibroblast response to a controlled nanoenvironment produced by colloidal lithography, 314
Dard, M. See Schliephake, H., 382
Darmani, H.
—;Al-Hiyasai, A. S.: Reproductive toxic effect of bisphenol A dimethacrylate in mice, 637
De Aza, P. N. See Sarmento, C., 351
De Aza, S. See Sarmento, C., 351
Diamond, K. See Inoue, M., 172
Doerschuk, C. M. See Zhou, Y., 611
Domb, A. See Shikanov, A., 47
Donahue, H. See Oki, A., 216
Dunn, M. G. See Caruso, A. B., 164

Ebenstein, D. M.
—;Pruitt, L. A.: Nonindentation of soft hydrated material for application to vascular tissues, 222
Eberhart, R. C. See Nguyen, K. T., 513
Eberhart, R. See Cai, J., 247
Eglin, D.
—;Ali, S. A. M.; Perry, C. C.: Comparative study of the *in vitro* apatite-forming ability of poly(ϵ-caprolactone)–silica sol–gels using three osteoconductivity tests (static, dynamic, and alternate soaking process), 718
Ehrlich, M. G. See Moore, D. C., 259
El-Ghanam, A. R.
—;Advanced bioceramic composite for bone tissue engineering: Design principles and structure–bioactivity relationship, 490
Erben, R. G. See Stangl, R., 444
Evans, M. D. M.
—;Pavon-Djavid, G.; Hélary, G.; Legeais, J.-M.; Migonney, V.: Vitronectin is significant in the adhesion of lens epithelial cells to PMMA polymers, 469
Evans, M. P. See Gough, J. E., 17

Fabra, A. See Lopez-Barcons, L. A., 155
Farach-Carson, M. C. See Shin, H., 535
Feddes, B. See Walboomers, X. F., 131
Ferrans, V. J. See Hilbert, S. L., 197
Filmon, R. See Stancu, I. C., 584
Finer, Y.
—;Santerre, J. P.: The influence of resin chemistry on a dental composite's biodegradation, 233
Fox, B. A. See Hinds, M. T., 55
Frankenberger, R. See Reich, S. M., 65
Frondoza, C. G. See Au, A., 367
Fujimoto, Y. See Ito, Y., 454
Fulchiero, G. See Sun, W., 658
Fyhrie, D. P. See Yeni, Y. N., 124

Gao, C. See Zhu, Y., 436
Gao, J. See Blanco, E., 398
García, A. J. See Reyes, C. D., 591
Garcia, A. See Wilson, K., 686
Garner, H. R. See Cronin, E. M., 373
Gilbert, J. L. See Merkhan, I. K., 577
Gildenhaar, R. See Knabe, C., 145
Goldberg, V. M. See Stewart, M., 1
Goodell, T. See Hinds, M. T., 55
Goodman, S. B. See Wong, N., 40
Gough, J. E.
—;Christian, P.; Unsworth, J.; Evans, M. P.; Scotchford, C. A.; Jones, I. A.: Controlled degradation and macrophage responses of a fluoride-treated polycaprolactone, 17
—;Clupper, D. C.; Hench, L. L.: Osteoblast responses to tape-cast and sintered bioactive glass ceramics, 621
Gräber, H. G. See Niedhart, C., 680
Grant, D. M. See McKinlay, K. J., 359
Gregory, K. W. See Hinds, M. T., 55
Grizon, F. See Stancu, I. C., 584
Gruber, R. See Schliephake, H., 382
Guldberg, R. See Cartmell, S., 97
Gutowska, A. See Au, A., 367

Habraken, W. J. E. M. See Walboomers, X. F., 131
Hao, L.
—;Lawrence, J.: On the role of CO_2 laser treament in the human serum albumin and human plasma fibronectin adsorption on zirconia (MGO-PSZ) bioceramic surface, 748
Hasenwinkel, J. M. See Merkhan, I. K., 577
Hayakawa, S. See Takemoto, S., 544
Healy, K. E. See Collier, T. O., 644
Hélary, G. See Evans, M. D. M., 469
Hench, L. L. See Gough, J. E., 621
Higuchi, W. I. See Otsuka, M., 552
Hilbert, S. L.
—;Boerboom, L. E.; Livesey, S. A.; Ferrans, V.: Explant pathology study of decellularized carotid artery vascular grafts, 197
Hiltner, A. See Christenson, E. M., 407
Hinds, M. T.
—;Courtman, D. W.; Goodell, T.; Kwong, M.; Brant-Zawadzki, H.; Burke, A.; Fox, B. A.; Gregory, K. W.: Biocompatibility of a xenogenic elastin-based biomaterial in a murine implantation model: The role of aluminum chloride pretreatment, 55
Hoffman, A. A. See Willie, B. M., 567
Hoffman, C. See Inoue, M., 172
Hossain, S. See Oki, A., 216
Howlett, C. R. See Knabe, C., 145
Hsu, S.-H. See Yao, C.-H., 709
Hsuang, M.-H.
—;Li, S.; Hutmacher, D. W.; Schantz, J.-T.; Vacanti, C. A.; Braud, C.; Vert, M.: Degradation and cell culture studies on block copolymers prepared by ring opening polymerization of ϵ-caprolactone in the presence of poly(ethylene glycol), 417
Hughes, F. J. See Sarmento, C., 351
Hungerford, D. S. See Au, A., 367
Hutmacher, D. W. See Huang, M.-H., 417
Huynh, K. See Cartmell, S., 97

Ichinose, N. See Otsuka, M., 552
Inoue, M.
—;LeGeros, R. Z.; Hoffman, C.; Diamond, K.; Rosenberg, P. A.; Craig, R. G.: Effect of enamel matrix proteins on the phenotype expression of periodontal ligament

cells cultured on dental materials, 172
Inoue, M. See Craig, R. G., 180
Ishida, O. See Ito, Y., 454
Ito, A. See Otsuka, M., 552
Ito, S.
—;Saito, T.; Aman, K.: *In vitro* apatite induction by osteopontin: Interfacial energy for hydroxyapatite nucleation on osteopontin, 11
Ito, Y.
—;Tanaka, N.; Fujimoto, Y.; Yasunaga, Y.; Ishida, O.; Agung, M.; Ochi, M.: Bone formation using novel interconnected porous calcium hydroxyapatite ceramic hybridized with culture marrow stromal stem cells derived from green rat, 454
Itoga, K.
—;Yamato, M.; Kobayashi, J.; Kikuchi, A.; Okano, T.: Micropatterned surfaces prepared using a liquid crystal projector-modified photopolymerization device and microfluidics, 391

Jansen, J. A. See Walboomers, X. F., 131
Jansen, K.
—;Meek, M. F.; van der Werff, J. F. A.; van Wachem, P. B.; van Luyn, M. J. A.: Long-term regeneration of the rat sciatic nerve through a biodegradable poly(DL-lactide-ϵ-caprolactone) nerve guide: Tissue reactions with focus on collagen III/IV reformation, 334
Johnston, E. D. See Botchwey, E. A., 205
Jones, F. H. See Nayab, S. N., 651
Jones, I. A. See Gough, J. E., 17

Kallur, S. P. See Craig, R. G., 180
Kaneko, K. See Yokoyama, K., 105
Katti, D. S. See Khan, Y. M., 728
Keller, J. See Schneider, G. B., 462
Kellomäki, M. See Niiranen, H., 699
Khan, Y. M.
—;Katti, D. S.; Laurencin, C. T.: Novel polymer-synthesized ceramic composite–based system for bone repair: An *in vitro* evaluation, 728
Kidd, K. R.
—;Williams, S. K.: Laminin-5-enriched extracellular matrix accelerates angiogenesis and neovascularization in association with ePTFE, 294
Kikuchi, A. See Itoga, K., 391
Kikuchi, A. See Tsuda, Y., 70
Kim, C.-K. See Lee, Y.-K., 188
Kim, J. K. See Lee, B.-H., 279
Kim, K.-M. See Lee, Y.-K., 188
Kim, K.-N. See Lee, Y.-K., 188
Kim, Y. D. See Lee, B.-H., 279
King, J. R. See McKinlay, K. J., 359
Knabe, C.
—;Berger, G.; Gildenhaar, R.; Meyer, J.; Howlett, C. R.; Markovic, B.; Zreiqat, H.: Effect of rapidly resorbable calcium phosphates and a calcium phosphate bone cement on the expression of bone-related genes and proteins *in vitro*, 145
Kobayashi, J. See Itoga, K., 391
Kohn, J. See Sharma, R. I., 114
Koppanati, B. M. See Bilbao, R., 91
Krasko, M. Y. See Shikanov, A., 47
Krzyminski, K. See Au, A., 367
Kusudo, Y. See Takemoto, S., 544
Kuznetsov, A. V. See Vasilets, V. N., 428
Kwong, M. See Hinds, M. T., 55

Langer, R. See Richards Grayson, A. C., 502
Latour, R. A., Jr. See Wilson, K., 686
Laurencin, C. T. See Botchwey, E. A., 205
Laurencin, C. T. See Khan, Y. M., 728
Lawrence, J. See Hao, L., 748
Lee, B.-H.
—;Kim, J. K.; Kim, Y. D.; Choi, K.; Lee, K. H.: *In vivo* behavior and mechanical stability of surface-modified titanium implants by plasma spray coating and chemical treatments, 279
Lee, K. H. See Lee, B.-H., 279
Lee, S.-B. See Lee, Y.-K., 188
Lee, Y.-K.
—;Song, J.; Lee, S.-B.; Kim, K.-M.; Choi, S.-H.; Kim, C.-K.; LeGeros, R. Z.; Kim, K.-N.: Proliferation, differentiation, and calcification of preosteoblast-like MC3T3-E1 cells cultured onto noncrystalline calcium phosphate glass, 188
Legeais, J.-M. See Evans, M. D. M., 469
LeGeros, R. Z. See Craig, R. G., 180
LeGeros, R. Z. See Inoue, M., 172
LeGeros, R. Z. See Lee, Y.-K., 188
Les, C. M. See Yeni, Y. N., 124
Levine, E. M. See Botchwey, E. A., 205
Li, B.-S. See Yao, C.-H., 709
Li, P. See Vasudev, D. V., 629
Li, S. See Huang, M.-H., 417
Liang, H.-C. See Chang, Y., 323
Lin, A. See Cartmell, S., 97
Liu, S. H. See Yang, R. S., 561
Liu, Y. See Zhu, Y., 436
Livesey, S. A. See Hilbert, S. L., 197
Loos, B.V See Stangl, R., 444
Lopes, M. A. See Porter, A. E., 670
Lopez-Barcons, L. A.
—;Polo, D.; Reig, F.; Fabra, A.: Pentapeptide YIGSR-mediated HT-1080 fibrosarcoma cells targeting of adriamycin encapsulated in sterically stabilized liposomes, 155
Lovekamp, J. See Sun, W., 658
Luklinska, Z. B. See Sarmento, C., 351

Marchant, R. E. See Zhou, Y., 611
Markovic, B. See Knabe, C., 145
Marshall, G. W. See Schulze, K. A., 286
Marshall, S. J. See Schulze, K. A., 286
Marunaka, S. See Otsuka, M., 552
Matsuda, Y. See Otsuka, M., 552
Maus, U. See Niedhart, C., 680
McKay, I. J. See Sarmento, C., 351
McKinlay, K. J.
—;Allison, F. J.; Scotchford, C. A.; Grant, D. M.; Oliver, J. M.; King, J. R.; Wood, J. V.; Brown, P. D.: Comparison of environmental scanning electron microscopy with high vacuum scanning electron microscopy as applied to the assessment of cell morphology, 359
Meek, M. F. See Jansen, K., 334
Merkhan, I. K.
—;Hasenwinkel, J. M.; Gilbert, J. L.: Gentamicin release from two-solution and powder-liquid poly(methyl methacrylate)-based bone cements by using novel pH method, 577
Meyer, J. See Knabe, C., 145
Migonney, V. See Evans, M. D. M., 469
Mikos, A. G. See Shin, H., 535
Miltner, O. See Niedhart, C., 680
Moghe, P. V. See Sharma, R. I., 114
Moore, D. C.
—;Pedrozo, H. A.; Crisco, J. J., III; Ehrlich, M. G.: Preformed grafts of porcine small intestine submucosa (SIS) for bridging segmental bone defects, 259
Moore, M. A. See Pathak, C. P., 140

Moriyama, K. See Yokoyama, K., 105
Müller, M. See Stangl, R., 444

Nagaraja, S. See Cartmell, S., 97
Nagumo, M. See Yokoyama, K., 105
Nayab, S. N.
—;Jones, F. H.; Olsen, I.: Human alveolar bone cell adhesion and growth on ion-implanted titanium, 651
Nelson, K. D. See Cai, J., 247
Nelson, K. D. See Cronin, E. M., 373
Nguyen, K. T.
—;Shaikh, N.; Wawro, D.; Zhang, S.; Schwade, N. D.; Eberhart, R. C.; Tang, L.: Molecular responses of vascular smooth muscle cells to paclitaxel-eluting bioresorbable stent materials, 513
Niedhart, C
—;Maus, U.; Miltner, O.; Gräber, H. G.; Niethard, F. U.; Siebert, C. H.: The effect of basic fibroblast growth factor on bone regeneration when released from a novel *in situ* setting tricalcium phosphate cement, 680
Niethard, F. U. See Niedhart, C., 680
Niirnaen, H.
—;Pyhältö, T.; Rokkanen, P.; Kellomäki, M.; Törmälä: *In vitro* and *in vivo* behavior of self-reinforced bioabsorbable polymer and self-reinforced bioabsorbable polymer/bioactive glass composites, 699
Nyska, A. See Shikanov, A., 47

Ochi, M. See Ito, Y., 454
Ogshita, Y. See Otsuka, M., 552
Okano, T. See Itoga, K., 391
Okano, T. See Tsuda, Y., 70
Oki, A.
—;Parveen, B.; Hossain, S.; Adeniji, S.; Donahue, H.: Preparation and *in vitro* bioactivity of zinc containing sol-gel–derived bioglass materials, 216
Oliver, J. M. See McKinlay, K. J., 359
Olsen, I. See Nayab, S. N., 651
Osaka, A. See Takemoto, S., 544
Otsuka, K. See Otsuka, M., 552
Otsuka, M.
—;Ohshita, Y.; Marunaka, S.; Matsuda, Y.; Ito, A.; Ichinose, N.; Otsuka, K.; Higuchi, W. I.: Effect of controlled zinc release on bone mineral density from injectable Zn-containing β-tricalcium phosphate suspension in zinc-deficient diseased rats, 552

Parsons, J. R. See Vasudev, D. V., 629
Parveen, B. See Oki, A., 216
Patel, R. See Wong, N., 40
Pathak, C. P.
—;Adams, A. K.; Simpson, T.; Phillips, R. E., Jr.; Moore, M. A.: Treatment of bioprosthetic heart valve tissue with long chain alcohol solution to lower calcification potential, 140
Pavon-Djavid, G. See Evans, M. D. M., 469
Pedroza, H. A. See Moore, D. C., 259
Peng, X. See Cai, J., 247
Perry, C. C. See Eglin, D., 718
Petschelt, A. See Reich, S. M., 65
Phillips, R. E., Jr. See Pathak, C. P., 140
Pollack, S. R. See Botchwey, E. A., 205
Polo, D. See Lopez-Barcons, L. A., 155
Polotsky, A. See Au, A., 367
Porter, A. E.
—;Botelho, C. M.; Lopes, M. A.; Santos, J. D.; Best, S. M.; Bonfield, W.: Ultastructural comparison of dissolution and apatite precipitation on hydroxyapatite and silicon-substituted hydroxyapatite *in vitro* and *in vivo*, 670
Potter, K. See Washburn, N. R., 738
Pries, A. See Stangl, R., 444
Pruitt, L. A. See Ebenstein, D. M., 222
Puelo, D. A. See Raiche, A. T., 342
Pyhältö, T. See Niiranen, H., 699

Qian, F. See Blanco, E., 398

Raiche, A. T.
—;Puleo, D. A.: Cell responses to BMP-2 and IGF-I released with different time-dependent profiles, 342
Reay, D. P. See Bilbao, R., 91
Reich, S. M.
—;Petschelt, A.; Wichmann, M.; Frankenberger, R.: Mechanical properties and three-body wear of veneering composites and their matrices, 65
Reig, F. See Lopez-Barcons, L. A., 155
Reyes, C. D.
—;García, A. J.: $\alpha_2\beta_1$ Integrin-specific collagen-mimetric sufaces supporting osteoblastic differentiation, 591
Ricci, J. L. See Vasudev, D. V., 629
Richards Grayson, A. C.
—;Cima, M. J.; Langer, R.: Molecular release from a polymeric microreservoir device: Influence of chemistry, polymer swelling, and loading on device performance, 502
Riehle, M. O. See Dalby, M. J., 314
Rokkanen, P. See Niiranen, H., 699
Rosenberg, P. A. See Craig, R. G., 180
Rosenberg, P. A. See Inoue, M., 172

Sabatino, C. See Vasudev, D. V., 629
Sacks, M. See Sun, W., 658
Sakai, J. See Yokoyama, K., 105
Sakurai, Y. See Tsuda, Y., 70
Santerre, J. P. See Finer, Y., 233
Santos, J. D. See Porter, A. E., 670
Sarmento, C.
—;Luklinska, Z. B.; Brown, L.; Anseau, M.; De Aza, P. N.; De Aza, S.; Hughes, F. J.; McKay, I. J.: *In vitro* behavior of osteoblastic cells cultured in the presence of pseudowollastonite ceramic, 351
Schantz, J.-T. See Huang, M.-H., 417
Schliephake, H.
—;Gruber, R.; Dard, M.; Wenz, R.; Scholz, S.: Repair of calvarial defects in rats by prefabricated hydroxyapatite cement implants, 382
Schneider, G. B.
—;Zahrias, R.; Seabold, D.; Keller, J.; Stanford, C.: Differentiation of preosteoblasts is affected by implant surface microtopographies, 462
Scholz, S. See Schliephake, H., 382
Schulze, K. A.
—;Balooch, M.; Balooch, G.; Marshall, G. W.; Marshall, S. J.: Micro-Raman spectroscopic investigation of dental calcified tissues, 286
Schwade, N. D. See Nguyen, K. T., 513
Scotchford, C. A. See McKinlay, K. J., 359
Scotchford, M. P. See Gough, J. E., 17
Scott, M. See Sun, W., 658
Seabold, D. See Schneider, G. B., 462
Sevastianov, V. I. See Vasilets, V. N., 428
Shaikh, N. See Nguyen, K. T., 513
Sharma, R. I.
—;Kohn, J.; Moghe, P. V.: Poly(ethylene glycol) enhances cell motility on protein-based

poly(ethylene glycol)–polycarbonate substrates: A mechanism for cell-guided ligand remodeling, 114
Shen, J. See Zhu, Y., 436
Shi, Y.
—;Vesley, I.: Characterization of statically loaded tissue-engineered mitral valve chordae tendineae, 26
Shikanov, A.
—;Vaisman, B.; Krasko, M. Y.; Nyska, A.; Domb, A. J.: Poly(sebacic acid-*co*-ricinoleic acid) biodegradable carrier for paclitaxel: *In vitro* release and *in vivo* toxicity, 47
Shin, H.
—;Zygourakis, K.; Farach-Carson, M. C.; Yaszemski, M. J.; Mikos, A. G.: Modulation of differentiation and mineralization of marrow stromal cells cultures on biomimetric hydrogels modified with Arg-Gly-Asp containing peptides, 535
Siebert, C. H. See Niedhart, C., 680
Simon, C. G., Jr. See Bailey, L. O., 305
Simon, C. G., Jr. See Xu, H. H. K., 267
Simpson, T. See Pathak, C. P., 140
Sito, T. See Ito, S., 11
Smith, G. M. See Cai, J., 247
Smith, R. L. See Wong, N., 40
Song, J. See Lee, Y.-K., 188
Stancu, I. C.
—;Filmon, R.; Grizon, F.; Zaharia, C.; cincu, C.; Baslé, M. F.; Chappard, D.: The *in vivo* calcification capacity of a copolymer, based on methacryloyloxyethyl phosphate, does not favor osteoconduction, 584
Stanford, C. See Schneider, G. B., 462
Stangl, R.
—;Pries, A.; Loos, B.; Müller, M.; Erben, R. G.: Influence of pores created by laser superfinishing on osseointegration of titanium alloy implants, 444
Stewart, M.
—;Welter, J. F.; Goldberg, V. M.: Effect of hydroxyapatite/tricalcium-phosphate coating on osseointegration of plasma-sprayed titanium alloy implants, 1
Stowe, N. See Blanco, E., 398
Stuart, S. J. See Wilson, K., 686
Sun, W.
—;Sacks, M.; Fulchiero, G.; Lovekamp, J.; Vyavahare, N.; Scott, M.: Response of heterograft heart valve biomaterials to moderate cyclic loading, 658
Sung, H.-W. See Chang, Y., 323
Sutherland, D. S. See Dalby, M. J., 314

Takashima, S. See Takemoto, S., 544
Takemoto, S.
—;Kusudo, Y.; Tsuru, K.; Hayakawa, S.; Osaka, A.; Takashima, S.: Selective protein adsorption and blood compatibility of hydroxy-carbonate apatites, 544
Tanaka, N. See Ito, Y., 454
Tang, L. See Nguyen, K. T., 513
Thelen, S.
—;Barthelat, F.; Brinson, L. C.: Mechanics considerations for microporous titanium as an orthopedic implant material, 601
Thurmond, F. A. See Cronin, E. M., 373
Törmälä, P. See Niiranen, H., 699
Trindade, M. C. D. See Wong, N., 40
Tsai, C.-C. See Yao, C.-H., 709
Tsai, K. S. See Yang, R. S., 561
Tsuda, Y.
—;Kikuchi, A.; Yamato, M.; Sakurai, Y.; Umezu, M.; Okano, T.: Control of cell adhesion and detachment using temperature and thermoresponsive copolymer grafted culture surfaces, 70
Tsuru, K. See Takemoto, S., 544
Turner, A. S. See Yeni, Y. N., 124

Umezu, M. See Tsuda, Y., 70
Unsworth, J. See Gough, J. E., 17

Vacanti, C. A. See Huang, M.-H., 417
Vaisman, B. See Shikanov, A., 47
van der Werff, J. F. A. See Jansen, K., 334
van Luyn, M. J. A. See Jansen, K., 334
van Wachem, P. B. See Jansen, K., 334
Vasilets, V. N.
—;Kuznetsov, A. V.; Sevastianov, V. I.: Vacuum ultraviolet treatment of polyethylene to change surface properties and characteristics of protein adsorption, 428
Vasudev, D. V.
—;Ricci, J. L.; Sabatino, C.; Li, P.; Parsons, J. R.: *In vivo* evaluation of a biomimetic apatite coating grown on titanium surfaces, 629
Vert, M. See Huang, M.-H., 417
Vesley, I. See Shi, Y., 26
Vogel, V. See Baugh, L., 525
Vyavahare, N. See Sun, W., 658

Wagner, V. E.
—;Bryers, J. D.: Poly(ethylene glycol)-polyacrylate copolymers modified to control adherent monocyte–macrophage physiology: Interactions with attaching *Staphylococcus epidermidis* or *Pseudomonas aeruginosa* bacteria, 79
Wahburn, N. R. See Bailey, L. O., 305
Walboomers, X. F.
—;Habraken, W. J. E. M.; Feddes, B.; winter, L. C.; Bumgardner, J. D.; Jansen, J. A.: Stretch-mediated responses of osteoblast-like cells cultured on titanium-coated substrates *in vitro*, 131
Wang, F. W. See Bailey, L. O., 305
Washburn, N. R.
—;Weir, M.; Anderson, P.; Potter, K.: Bone formation in polymeric scaffolds evaluated by proton magnetic resonance microscopy and X-ray microtomography, 738
Wawro, D. See Nguyen, K. T., 513
Wei, H.-J. See Chang, Y., 323
Weinberg, B. See Blanco, E., 398
Weir, M. See Washburn, N. R., 738
Welter, J. F. See Stewart, M., 1
Wenz, R. See Schliephake, H., 382
Wichmann, M. See Reich, S. M., 65
Wiggins, M. See Christenson, E. M., 407
Williams, R. S. See Cronin, E. M., 373
Williams, S. K. See Kidd, K. R., 294
Willie, B. M.
—;Ashrafi. S.; Alajbegovic, S.; Burnett, T.; Bloebaum, R. D.: Quantifying the effect of resin type and sterilization method on the degradation of ultrahigh molecular weight polyethylene after 4 years of real-time shelf aging, 477
—;Bloebaum, R. D.; Bireley, W. R.; Bachus, K. N.; Hoffman, A. A.: Determining relevance of a weight-bearing ovine model for bone ingrowth assessment, 567
Wilson, K.
—;Stuart, S. J.; Garcia, A.; Latour, R. A., Jr.: A molecular modeling study of the effect of surface chemistry on the adsorption of a fibronectin fragment spanning the 7–10th type III repeats, 686
Winter, L. C. See Walboomers, X. F., 131

Wong, N.
—;Trindade, M. C. D.; Patel, R.; Yaszay, B.; Goodman, S. B.; Smith, R. L.: Effects of interleukin-10 on titanium particle-induced macrophage transcription factor activation and cytokine expression *in vitro*, 40
Wood, J. V. See McKinlay, K. J., 359
Wright, W. E. See Cronin, E. M., 373

Xu, H. H. K.
—;Simon, C. G., Jr.: Self-hardening calcium phosphate cement–mesh composite: Reinforcement, macropores, and cell response, 267

Yamato, M. See Itoga, K., 391
Yamato, M. See Tsuda, Y., 70
Yang, R. S.
—;Tsai, K. S.; Liu, S. H.: Titanium implants enhance pulmonary nitric oxide production and lung injury in rats exposed to endotoxin, 561
Yao, C.-H.
—;Liu, B.-S.; Hsu, S.-H.; Chen, Y.-S.; Tsai, C.-C.: Biocompatibility and biodegradation of a bone composite containing tricalcium phosphate and genipin crosslinked gelatin, 709
Yasungara, Y. See Ito, Y., 454
Yaszay, B. See Wong, N., 40
Yaszemski, M. J. See Shin, H., 535
Yeni, Y. N.
—;Christopherson, G. T.; Turner, A. S.; Les, C. M.; Fyhrie, D. P.: Apparent viscoelastic anisotropy as measured from nondestructive oscillary tests can reflect the presence of a flaw in cortical bone, 124
Yokoyama, K.
—;Kaneko, K.; Moriyama, K.; Asaoka, K.; Sakai, J.; Nagumo, M.: Delayed fracture of Ni-Ti superelastic alloys in acidic and neutral fluoride solutions, 105

Zaharia, C. See Stancu, I. C., 584
Zhang, S. See Nguyen, K. T., 513
Zharias, R. See Schneider, G. B., 462
Zhou, Y.
—;Doerschuk, C. M.; Anderson, J. M.; Marchant, R. R.: Biomaterial surface-dependent neutrophil mobility, 611
Zhu, Y.
—;Gao, C.; Liu, Y.; Shen, J.: Endothelial cell functions *in vitro* cultured on poly(L-lactic acid) membranes modified with different methods, 436
Zreiqat, H. See Knabe, C., 145
Zygourakis, K. See Shin, H., 535

Journal of Biomedical Materials Research
Subject Index—Volume 69A

Acellular tissue, 323
ACL reconstruction, 164
Actin cytoskeleton, 359
Adenovirus, 91
Adhesion, 314
Adhesion ligands, 114
Adriamycin, 155
AFM, 611
Aging effect, 428
Alveolar bone cells, 651
Amelogenin, 172, 180
Angiogenesis, 294
Anisotropy, 124
Apatite nucleation, 11
Atomic force microscopy, 407

Bioabsorbable, 699
Bioactive, 621
Bioactive glass, 699
Bioactive materials, 216
Biocompatibility, 91, 267
Biodegradable polymer, 47
Biodegradation, 233, 407
Bioglass, 216
Biomaterial, 55, 552
Biomaterials, 222, 305, 351, 611, 629, 658, 686, 525
Biomimetic, 591
Biomimetic hydrogel, 535
Biomimetric materials, 114
Bioprosthesis, 140
Bioreactor, 205
Bisphenol A dimethacrylate, 637
Blood compatibility, 544
β_2-microglobulin, 544
BMP, 342
Bond graft, 188
Bone, 17, 131, 205, 342, 728, 738
Bone cement, 577
Bone-chamber model, 629
Bone generation, 490
Bone healing, 259
Bone ingrowth, 567
Bone marrow stromal cells, 417
Bone mineral density, 552
Bone regeneration, 351, 680
Bone tissue engineering, 97
Bovine serum albumin, 544

Calcification, 55, 140, 188
Calcium, 651
Calcium phospate bone cement implants, 382
Calcium phosphate, 188, 728
Calcium phosphate cement, 267
Calcium phosphate cements, 145
Calcium phosphate ceramics, 145
Calvarial defects, 382
Carbodiimide, 164
cDNA-microarray, 513
Cell adhesion, 591, 651
Cell attachment, 469
Cell biomaterial interactions, 145
Cell culture, 70, 267, 391, 436
Cell growth, 651
Cell migration, 114
Cell morphology, 651
Cell pattern, 391
Cell proliferation, 513
Cell sheet, 70
Cell spread, 469
Cementum, 172, 180
Cementum-dentin junction, 286
Chemical treatment, 279
Cholesterol esterase, 233
Chondrocytes, 367
C—H stretching mode, 286
CO_2 laser, 748
Collagen, 164, 591
Collagen fiber orientation, 26
Collagen III/IV distribution, 334
Composite, 699, 718, 728
Computed tomography, 97
Conformation, 525
Controlled release, 342
Co-polymer, 584
Copolymer grafting, 70
Copper vapor laser, 444
Corrosion, 105
Cortical bone, 124
Crack, 124
Cyclic load, 164
Cyclic loading, 658
Cytokine, 305
Cytokines, 40
Cytoskeleton, 314

Damage, 124
Decellularized, 197
Degradation, 17, 699
Delayed fracture, 105
Density, 477
Dental resins, 233
Dentin-enamel junction, 286
Di-2-ethylhexyl phthalate, 91
Differentiation, 188, 373, 535
Dissolution, 670
Doxorubicin transport, 398
Drug delivery, 342, 502
Drug delivery system, 552
Dynamic mechanical analysis, 124

Elastin, 55
Elastin sheath, 26
Endothelial cells, 436
Endotoxin, 561
Environmental scanning electron microscopy, 359
Enzymes, 233
ePTFE, 294
Extracellular matrix, 259, 294
Extracellular matrix proteins, 373

Fatigue, 65
Female, 637
Fertility, 637
Fibroblast, 314
Fibronectin, 686, 469, 525
Finite elements, 601
Fluid flow, 205
Fluorescence resonance energy transfer (FRET), 525
Fluoride, 105
Fluorides, 17
Foreign body giant cells, 644
Foreign body reaction, 334
Foreign body response, 407
FTIR spectroscopy, 428

Gelatin, 709
Genipin, 323, 709
Gentamicin sulfate, 577
Glutaraldehyde, 323
Green fluorescent protein (GFP), 454
Growth factor, 342
Growth factors, 367
Guidance channel, 247

Heart valve, 140
Heterograft heart valve, 658
Histomorphometry, 444
HT-1080, 155
Human bone-dreived cells, 145
Human plasma fibronectin, 748
Human serum albumin, 748
Hydration, 222
Hydrogen embrittlement, 105
Hydrolysis, 233, 502
Hydrolytic degradation, 417
Hydrophilic interpenetrating polymer networks, 644
Hydroxyapatite, 1, 11, 267, 629, 544
Hydroxy-carbonate apatite, 544

Implant, 47
Implantation, 709
Implants, 462
Implant stability, 1
Inducible nitric oxide synthase, 561
Inflammation, 55
Inflammatory, 305
Inhibitory polymer, 469
In situ hybridization, 145
In situ setting cement, 680
Integrin, 591
Interconnected porous calcium hydroxyapatite ceramic (IP-CHA), 454
Interfacial energy, 11
Intestinal submucosa, 259
Intratumoral drug delivery, 398
Intraocular lens, 469
In vitro apatite-forming ability, 718
In vivo, 279, 407
In vivo release, 552
Ion implantation, 651

Keratinocytes, 114

Laminin-5, 294
Linear and starlike poly(ethylene glycol) tethers, 79
Liposomes, 155
Liquid crystal projector, 391
Long-term nerve regeneration, 334
Lung injury, 561

Macrophage developement, 644
Macrophage response, 79
Macrophages, 17, 40
Macroporous scaffold, 267
Magnesia partially stabilized zirconia (MgO-PSZ), 748
Magnetic resonance microscopy, 738
Male, 637
Marrow stromal cells, 535
Marrow stromal stem cell, 454
Mask-less pattern formation, 391
Matrigel, 247
MC3T3-E1 cell, 188
Mechaical stress, 131
Mechanical properties, 601
Mechanism of phase transformation, 490
Mesh reinforcement, 267
Metaplasia, 323
Methacrylate polymer, 233
Methacryloyloxyethyl phosphate (MOEP), 584
Microfluidics, 391
Micromechanics, 601
Microsphere, 728
Mineralization, 97
Mineral apposition rate, 567
Mobility, 611
Molecular modeling, 686
Mouse, 637

Nanobioscience, 314
Nanoindentation, 222
Nanotopography, 314
n-butyl methacrylate, 70
Neuroma, 247
Neutophils, 611
Ni-Ti, 105

Orthopedic coatings, 629
Osseointegration, 1, 444, 462
Osteoblast, 591, 709, 535
Osteoblastic cells, 216
Osteoblast-like cells, 131
Osteoblast morphology, 359
Osteoblasts, 351, 462
Osteocalcin, 462
Osteoconduction, 1, 454
Osteoconductive properties, 584
Osteoinduction, 351
Osteopontin, 11, 535
Osteostimulation, 680
Ovine model, 567
Oxidation, 477

Paclitaxel, 47, 513
Pathology, 197
Peptide and antibody surface modifications, 79
Periodontal connective tissues, 172, 180
Periodontal regeneration, 172, 180
Peripheral nerve system, 247
pH, 577
Phosphate band, 286
Phospholipids, 140
Phosphoprotein, 11
Plasma spray coating, 279
Plasma-sprayed titanium, 1
PLLA, 247
Polyacrylamide, 391
Polycaprolactone, 17
Poly(carbonate urethane), 407
Polydimethylsiloxane (PDMS), 391
Poly(DL-lactide-ϵ-caprolactone) [poly(DLLA-ϵ-CL)] nerve guide, 334
Poly(ester anhydride), 47
Poly(ether urethane), 407
Polyethylene glycol, 114
Poly(ethylene glycol), 417
Poly(ethylene glycol)-*g*-polyacrylate substrata, 79
Poly(glycolic acid), 502
Poly(ϵ-caprolactone), 718, 417
Poly(lactic acid), 502
Poly(lactide-*co*-glycolide), 728
Polylactides, 97
Poly(L-lactic acid), 436, 513
Poly L-lactic acid fiber scaffold, 373
Polymer, 728
Polymer implants, 398
Polymer scaffold, 738
Poly-(methyl methacrylate), 577
Poly(*N*-isopropylacrylamide), 70
Polyphosphated materials, 584
Porcine valve, 140
Pore size, 444
Porous, 601
Porous-coated implants, 567
Precipitation, 670
Primary human osteoblasts, 621
Proliferation, 188
Protein adsorption, 686, 748, 428, 490, 525
Proteolytic enzymes, 164
Pseudowollastonite, 351

Radiofrequency ablation, 398
Raman spectroscopy, 286
Rat, 259
Rat calvarial organ culture, 709
Real-time shelf aging, 477
Recombinant human basic fibroblast growth factor, 680
Reproduction, 637
Resin, 477
Resin composites, 65
Resorbable cement, 680
Resorption rate, 382
Restenosis, 513
RT-PCR, 305
Runx2, 462

Scaffold, 205, 367, 728
Scanning electron microscopy, 428
Segmental defect, 259
Self-assembled monolayers, 686
Self-reinforced, 699
Silica-calcium phosphate composite, 490
Silica sol–gel, 718
Silicon, 670
Simulated body fluid, 670

Skeletal muscle, 373
Small-diameter vascular graft, 197
Smooth muscle cells, 26
Sol-gel processing, 216
Solution deposition fabrication method, 629
Sterilization, 477
Subdermal, 55
Surface modification, 279
Surface modifications, 436
Surface roughness, 359
Swelling, 502
Synthetic graft resorption, 490

Tape cast, 621
Targeting, 155
Temperature responsive surfaces, 70
Therapeutical improvement, 552
Thermoreversible polymer, 367
Three-dimensional, 728
Time lapse, 611
Tissue-engineered collagen constructs, 26
Tissue engineering, 205, 259, 367, 621, 728, 738, 373, 417, 454
Tissue mechanics, 222
Tissue regeneration, 323
Titanium, 131, 601, 651, 561
Titanium dioxide, 359
Titanium implant, 279
Titanium implants, 444
Titanium particles, 40
Tooth, 286
Total joint arthroplasty, 40
Toxicity, 47
Transcription factors, 40
Tricalcium phosphate, 552
Tubing, 91

Ultrastructure, 670
Ultraviolet irradiation, 164
Ultrahigh molecular weight polyethylene (UHMWPE), 477

Vacuum ultraviolet irradiation, 428
Vascular smooth muscle cells, 513
Vascular tissues, 222
Veneering, 65
Viscoelastic properties, 124

Wear, 65
Wear debris, 305
Wettability characteristics, 748
Wollastonite, 351
Wound-healing response, 398

X-ray microtomography, 738

YIGSR, 155

Zinc, 552
Zinc-deficient osteoporosis, 552
Zinc ion, 216